
"Jal Hai to Kal Hai"



....SAVE EARTH

BRAND

BRAND SEVARTH BRAND

Product Range

BIO DIGESTER

GRP-SMC
Panel Tanks

Rain Water
Harvest

FRP STP

Septic Tanks
Soak Pits


WTP

By: Verity Ventures & Logistics



FRP-Package Sewage Treatment Plants (PSTP)

Process flow Diagram



Working Principal:

- Influent
- Bar Screening Chamber-Separates sold waste
- UASBR Reactor:

First stage transforms influent solids to settled solids while allowing scum to float.

It is a primary Anoxic Treatment zone in which the settled sludge is stabilized by anaerobic digestion.

...cont...

• Aeration Zone: (MBBR Reactor):

Second stage is aerobic zone with media inside the tank which increases the surface area to retain the microorganism long enough to digest the organic substance.

Air is provided through blowers and higher contacting time with the slime on the plastic media facilitates efficient digestion.

Clear water overflows to the next treatment chamber.

Clarifier Zone:

Final stage involves sedimentation where the organic waste that is settled down at the bottom of the tank is pumped back to the solid separation zone. The settled waste in the bottom of the tank is pumped back to the Solid Separation Zone as a return sludge having

....cont....

active biomass (MLSS) to increase the efficiency of the system to ensure that the effluent quality meets the stipulated PCB standard.

- Tertiary Treatment:
 After Final Sedimentation overflow water
 collected in intermediate tank and pumped
 through PSF and ACF for further purification and
 disinfected by proper Chlorine dosing system.
- Disinfection: Chlorine Dosing
 Final discharge water having BOD<10ppm can be reused for gardening toilet flushing and other cleaning and washing purposes.

Capacities:

10 KLD to 250 KLD

(and in multiples thereof for higher capacities)

OUR USP

Why different -Why Better

- 2 YEARS FULL WARRANTY-FIRST TIME in the industry in INDIA
- 4 YEARS FRP TANK WARRANTY-FIRST TIME in the industry in INDIA (Approx. 50 years life span)
- Electro-mechanical parts, TTP and other parts are of the best brands like Crompton Greaves Kirloskar/TATA etc.
- Provision for ONLINE REAL TIME DISCHARGE WATER TESTING
- Isophthalic Unsaturated Resin and glass fiber used for FRP tanks
- Fully Automatic, Manpower Free, Maintenance Free
- FRP Tanks are Multi layered (usually 4 layers)
 made by molding process with RIB-CAGED
 structure for more strength, durability and
 stability for underground installations and to
 sustain soil pressure.

STP-Gallery visit

Work in progress at our unit



Transportation -Installation at various sites




- BIO-SEPTIC TANKS
- U/G WATER STORSGE TANKS
- SOAKPIT TANKS

Capacities: 1000 litres to 6000 litres








GRP-SMC Panel Water Storage Tanks








Other Products (We are not limited to STP)

Rain Water Harvesting

RechargeRain

Injection Recharge well Technology for loose area


RechargeRain is a unique Injection well technology designed to capture, filter and recharge rainwater from large open areas or loose soil into deeper layers of permeable and impervious earth's strata through unique 'Non clogging, SS V wire technology for filtration'. This is a proven system to augment ground water level and rejuvenate dried bore wells.



Ground water recharge is less expensive than surface water | Efficient compared to over ground storage structures | Less vulnerable to pollution than surface water | Improves ground water quality by dilution | No conveyance or evaporation loss | Increases productivity of Aquifer | Reduces soil erosion | Raises ground water level

Rain is a fundamental source of water that feeds all sources

- Roof top
- Ground Level
- Storing
- Underground Water recharging



RoofRain



NeeRain Rainwater Filter

NeeRainSS and NeeRainUltra are simple, scientific and sensible rooftop rainwater filters for homes, institutions and industries to save Rainwater for daily requirement and recharge. They save millions of liters of fresh water in borewell or tank lifetime. NeeRain is plug and play device that has no water loss, requires no consumables, no electricity, no human intervention and has live monitoring with low plumbing cost.



No water loss | Two stage filtration | Non Clogging filter
Maintenance free | Cost effective | SS 304 filter element
HDPE filter element | User friendly | No consumables
Compact in size | Fine filter for micro filtration
Higher surface area for seamless flow | Wall mounted
Consistent in high and low intensity of Rain

Know Us:

SEVARTH is our Trade Mark (AF)
(To convey our message to "Save Earth"
in our little way)

- More than a decades experience in STP, SMC Panel tanks, Bio-Septic tanks and other related products
- Had been the channel partner of industry giants like SINTEX, ARVIND ENVISOL, BRIJ BINANI Groups' BT Composites Ltd. for more than 2 decades.
- Won National Awards for best performance.
- Pan India presence:Offices in Delhi, Mumbai and HO in Kolkata. New UNIT in the WEST is on the cards.
- Enlisted vendor in CPWD.
- Supplied in INDIAN ARMY
- Approvals/enlistments in MES in the past for supply and consultancy of STP, SMC Panel tanks, RO Plants for other brands.
 (Now in the process for fresh approvals)



SEVARTH already an approved brand in CPWD

SI. No.	Materials	Approved make				
		INDIA PVT. LTD)				
77	WPC BOARD, FRAMED AND DOOR SHUTTER	ALSTONE, RAJSHREE, CENTUARY, GREEN.				
78	PVC WATER TANK	ROTOSTORE, SINTEX, SUPREME, ASTRAL, UTKARSH, PRINCE, M/s PRYAG POLYMER PVT. LTD., HIMGIRI.				
79	CEMENT PARTICAL BOARD	BISON PANEL, SHERA, CENTURY, EVEREST				
80	RMC – PLANTS	LAFARGE (NUVOCO), ULTRATECH, ACC, RMC INDIA or As approved by NIT approving authority.				
81	GYPSUM BOARD FALSE CEILLING	USG KNAUF, GYPROCK, WESTERN, SAINT GOBAIN.				
82	METAL FALSE CEILLING	USG KNAUF, HUNTERDOUGLAS, WESTERN, ARMSTRONG.				
83	ANTI TERMITE TREATMENT	INTEGRATED MULTI SERVICES & SOLUTIONS PVT. LTD. (IMSS), RENTOKILL PEST CONTROL INDIA PVT. LTD. (PCI),ISS HIGH CARE PVT. LTD.				
84	FRP UNDER GROUND STP (MBBR)	/ SEVARTH				
85	ZINC COMPOSITE PANEL	ALPOLIC, VM ZINC, ALUDECOR, REYNOARCH, ALSTONE				
86	MS PIPES (SQUARE/ROUND)	TATA, SAIL, JINDAL, APL APOLLO.				
87	EXPANSION JOINT SYSTEM (ASTM 6063)	SCON, KANTAFLEX, SUNFIELD, Z-TECH, MNR ENGINEERING PRODUCTS.				
88	AAC BLOCK	ACC, ULTRATECH, TISCO BUILD, EXCEL, FLEXI BUILD.				
89	ADHESIVE FOR AAC BLOCK	PIDILITE, FOSROC, SIKA, CICO, REYNOARCH, ACC, ULTRATECH.				
90	SMC Panel Tank	SOVISY / SINTEX				
91	EPOXY FLOORING	FOSROC, SIKA, REYNOARCH, FLOWCRETE, PIDILITE				
92	SS RAILING GRADE 304	JINDAL, KICH, DORMA, DORSET, OZONE				
93	FLYASH BRICK	ACC, TISCON, JINDAL, HINDALCO, INLAND POWER, HINDUTAN TILES				
94	SANDWICH PANEL	LLOYD, EPACK, KINGSPAN				

Preference to PPP-M - II Policy (Make in India):

- (i) The Government has issued public procurement policy (Preference to Make in India) vide Ministry of Commerce and Industry Development of industrial policy and promotion (PPS) vide order No. P- 45021/2/2017-PP BE-II dated 28.05.2018, to —Encourage Make in India|| and to promote manufacturing and production of Goods and services in India with a view to enhancing income and employment. CPWD has decided to implement this policy.
- (ii) The agency shall submit list of makes of materials proposed to be used on the work from local suppliers (as defined in the above order dated 28.05.2018) along with minimum local content as specified below for approval of the department out of the approved makes kept in the tender.
- (iii) The department will be approving only makes of the materials having a minimum local content of 50% for use on this work, out of the preferred makes list.
- (iv) The minimum local content of 50% is considered for the complete item including labour component. The agency shall obtain the certificate for all items except for sundry items.

Awards & Past Approvals



1686-16015
AN IND 9801/2009 UNGANISATIUN
Civil: 2486-5147
Chief Engineer Kolkata Zone
Military Engineer Services
Ballyaunge Makian Camp
Gurusday Road, Kolkuta-19

CWE (S) Barrackpore

APPROVAL OF PRODUCT: M/S VERITY VENTURES AND LOGISTIC.

. M/s Verity Venures and Logistic has approached this HQ for approval of their products for use n Defence Works under this Zone vide their letter No. letter No.Nil dt 16 Jan 09.

2. The suitability of their products has been examined with reference to compliance with relevant BIS Standards Accordingly CMPT Approval Committee constituted at this HQ in terms of E.2 Was (PPC & Est) Sab bot (Work E.4 Feet). Stands, HQ of Mod (Army) letter Not 2452SCMPTE2. Design-2 d. 11 Apr 08 hereby accords approval for use of under mentioned products in Defence Works for a period of now garvie upon 14 Feb. 2010:-

(a) GRP-SMC Panel Water Storage tanks.

 Further continuation of the products will be decided thereafter, on the basis of the mandatory feed back/performance report submitted by CWE's VEP's under jurisdiction of Zone. In case of any one uning the product notices any defectdiscrepancy, the same will be reported immediately without waiting for the expiry of the period of one year.

4. The approval does not absolve the executive / supervisory Staff from their responsibility for using the correct quality product. It is only after they are satisfied about the quality and the performance, the product will be used. Mandatory checks about the quality will be carried out as laid down and the records of the same maintained.

the products like samples etc can be obtained from the manufacturer at the address given below:

ress : (Head Office) M/s Verity Ventures & Logistic

M/s Verity Ventures & Logist F-3, Kamalaya Centre 156A, Lenin Sarani Kolkata-700013

Fax: 033-22158259 Email- verty@satyam.net.in

M/s Verity Ventures & Logi Unnayan-25(1st Floor) (Udita-Bengal Ambuja) 1050/1-Survey Park Kolkata-700075 Tele:-033-24188618 Fax: 033-24188618









Tele: 6803

Chief Engineer Kolkata Zor Military Engineer Services Ballygunge Maidan Camp Gurusaday Road, Kolkata-/& Jun 2010

86001/CMPT/ 🙌 /E2(Plg)

M/s Verity Ventures & Logistics F-3, Kamalalaya Centre 156A, Lenin Sarani Kolkata-700013

RENEWAL OF APPROVAL OF PRODUCT: VERITY VENTURES AND LOGISTICS

I. Ref your letter No. Nil dt 14 Jun 2010

In view of the supply of your product (i.e. GRP-SMC Panel Water Storage Tanks)
to the contractors who undertook the work. with MES in this Zone and there being no
adverse comments from the executives regarding the quality of your products. The renewal
of the approval of your products mentioned in this HQ letter No. 80001/CMPT/19/EZ(PP) of
14 Fee 2009 is extended for the period up to 18 July 2012.

(N K Prinja, IDSE) Principal Director (Plg) Chairman(CMPT)

Copy to :-

CWE (C) Kolkata CWE Kolkata

GE(S), GE(N), GE(C), GE Alipore GE(FW), GE Bkp, GE Panagarh, GE(P) Panagarh GE(I) Navy and Coast Guard kolkata

Chief Engineer HQ Eastern Comma Fort William

Tele: 6734 (Army) : 2454-5472 (Civ) Chief Engineer Kolkata Zon Military Engineer Services Ballygunge Maidan Camp Gurusaday Road

83200/2/ 10 80

/E3B2

24 Feb 2010

CWE Kolkata CWE (Central) Kolkata CWE (Subs) Barrackpore

CONSULTANCY FIRM: PROVISIONAL ENLISTMENT OF

It is intimated that the Consultancy firm 'Verity Ventures & Logistics' is enlisted provisional with this HQ in the following disciplines:-

(a) Sewage Treatment Plant.

(b) Water Treatment Plant (Iron Semoning Softening / RO Plants)

2. The address and Contact No. of the firm are as under:-

'Verity Ventures & Logistics' Head Office : F-3, Kamalalya Centre, 156A, Lenin Sarani, Kolkata – 700 013 Telefax - 033- 22158259




Copy to :-

"Verity Ventures & Logistics" Head Office : F-3, Kamalalya Centre, 156A, Lenin Sarani, Kolkata – 700 013 Telefax - 033- 22158259

TOWARDS "MAKE IN INDIA"

SEVARTH







Solutions

FORM TM- A

The Trade Marks Act, 1999

Application For Registration Of a Trademark
On application to register a trade mark for a specification of goods or services
included in one class [section 18(1)]

Temp. Ref. No: 10893850

CLASS OF GOODS OR SERVICE

-	Temp. Ref. 140. 10033030						
	NATURE OF	A TRADE MARKS APPLICATION					
Š	APPLICATION:	A TIVIDE WANTS AT ELECTRON					
ž	APPLICATION FILED	Individual/Sole Proprietor					
	AS:	4500					
ě	FEE:						
Ě	APPLICANT						
à	Applicant No.	1					
	Name	SANJAY GOENKA PROPRIETOR OF VERITY VENTURES AND LOGISTICS					
š		216, The Chambers Mall, 1865 Raidanga main road, Kolkat.					
Ì	Address	700107					
H	Country	India					
E	Jurisdiction Address for Service	KOLKATA					
	Mobile No	C-2593, Third Floor, Sushant Lok Phase-1, Gurugram					
	Email Address	Haryana					
	Nature of Applicant	9051863172					
	Legal Status	sohamgoenka.sg@gmail.com					
i		Single Firm					
		Sole proprietorship					
	APPLICANT'S AGENT (If A	Any):					
	· ·	ISOHAM GOENKA					
	Name Address	C-2593, Third Floor, Sushant Lok Phase-1, Gurugram					
	Nature of Agent	Haryana					
	Registration No.	Advocate					
	1111 1111 11 11 11 11 11 11 11 11 11 11	36891					
	Category of Mark Trade Mark						
	Image Description	IWORD					
		ENTERTHAN HINDI OR ENGLISH					
	III WA LANGOAGE	OTTIER THE WITHING ON ENGLISH					
	Language	English					
		TIONS TO USE THE TRADEMARK, IF ANY					





SEVARTH STP discharge water test reports





R. V. BRIGGS & CO. PRIVATE LTD.



ANALYTICAL CONSULTING A TECHNICAL CHEMISTS

(AN ISO 9001:2015 & ISO 45001: 2018 CERTIFIED COMPANY)

Phone: (033) 4044-380 / 3381 / 3382 / 3383, Websile: www.rvbriggs.com
E-mail: rvbriggs.kokleategymical.com, info@wybriggs.com
CIN: UST09WB1931PT-CO07007

TEST REPORT

Certificate No.E(S)/24-25/422	Issue Date: 30 September 2024		Page 1 of 2
Issued to	: M/s. SEVART	H-Jal hai to Kal hai	
	216, Unitech T	he Chambers Mall,	
	1865, Rajdanga	Main Road, Kolkata -7	00107
Your Ref. No.	: Letter dtd.24.0	9.2024	
Description of Sample	: Effluent		
Mark on Sample	: Sewage Water,		
	Site ALL AMI	N MISSION, Khalatpur	Site
Sample Submitted by the Party on	: 24.09.2024		Parameter Tested
Analysis Started on	: 24.09.2024	p	H, TSS, BOD, COD & O&G
Analysis Completed on	. 30.00.2024		

SI. No.	Test Parameters	Test Method	Unit	Results
1	pH Value	APHA 24th edition-4500H+B		7.57
2	Total Suspended Solids (TSS)	APHA 24th edition 2540D	mg/l	18
3	Biochemical Oxygen Demand for 3 days at 27°C (BOD)	I.S. 3025 (Part - 44) - 1993	mg/l	16
4	Chemical Oxygen Demand (COD)	APHA 24th edition 5220B	mg/l	53





 [★] The test report shall not be reproduced, except in full, without written approval of the Company.
 ★ Results relate only to the parameters tested.

Some Clients (a humble beginning)













- Thermax
- Kenilworth Hotel
- ABP Group
- Institute Of Child Care
- Bellevue Hospital
 ...to name a few....

vouches to serve you better always



HO:

VERITY VENTURES & LOGISTICS

HO: Unit no. 216, Unitech - The Chambers Mall 1865 Rajdanga Main Road Kolkata-700107

Email: verity.sg@gmail.com

9038080808 / 9830032163



9038080808

Website : https://sevarth.co

Instagram: @sevarth_stp

LinkedIn : company/sevarth-stp

Branches:

DELHI: MUMBAI

UNIT:

DANKUNI-WEST BENGAL

